

## Analysis of Vaccine Safety Claims VACCINE PRE-LICENSING STUDIES Flowchart #1

**Systemic Adverse Reactions** noted in Vaccine X's insert identifies injuries by Vaccine X, compared with the Systemic Adverse Reactions identified in the same and/or other vaccines and/or the toxic ingredients used in the group receiving the False Placebo

FALSE  
PLACEBO

Does the study compare Vaccine X<sup>1</sup> with an Inert Saline True Placebo<sup>2</sup> or with a False Placebo?<sup>3</sup>

TRUE  
PLACEBO

**Results Comparing Both Groups**  
1. If results are similar, vaccines do not cause such diseases, it is a coincidence  
2. If Vaccine X shows Systemic Adverse Reactions not shown in the True Placebo group, then Vaccine X causes all injuries identified in the inserts

**FDA PRIMARY CRITERIA TO EVALUATE VACCINE SAFETY**  
*"Before vaccines are licensed by the FDA, they are tested extensively in the laboratory and with human subjects to ensure their safety ... **Because the vaccinated group can be compared to those who have not received the vaccine, researchers are able to identify TRUE reactions.**"*  
See <http://tinyurl.com/CDC-History-of-Vaccines>

THE STUDY CANNOT  
PROVE IF  
THE VACCINE IS SAFE

NO VACCINE IN THE CDC CHILDHOOD VACCINE SCHEDULE IS TESTED AGAINST AN INERT SALINE TRUE PLACEBO IN PRE-LICENSING STUDIES, THEY ARE ONLY COMPARED WITH THE SAME VACCINE OR OTHER VACCINES AND/OR THEIR TOXIC INGREDIENTS<sup>4</sup>

THE STUDY CAN  
PROVE IF  
THE VACCINE IS SAFE

THE VACCINES IN THE CDC CHILDHOOD VACCINE SCHEDULE HAVE NOT BEEN PROVEN TO BE SAFE FOR LACK OF PROPER TRUE PLACEBO TESTING REQUIRED OF ALL OTHER DRUGS' PRE-LICENSING STUDIES

<sup>1</sup> Vaccine "X" represents any vaccine in the CDC Childhood Vaccination Schedule. See <https://www.cdc.gov/vaccines/schedules/index.html>.

<sup>2</sup> A "True Placebo" is an inert substance, made up of water and salt. **"Placebos are substances that are made to resemble drugs but do not contain an active drug."** See "Merck Manual", at <https://tinyurl.com/Merck-Manual-Placebo>. "A drug is defined by U.S. law as any substance (other than a food or device) intended for use in the diagnosis, cure, relief, treatment, or **prevention of disease** or intended to affect the structure or function of the body." See <https://tinyurl.com/Merck-Manual-Drugs>.

<sup>3</sup> A "False Placebo" is any substance used to compare Vaccine X in one control group with "an implied" placebo substance, when in fact, the substances used on the "False Placebo" group are toxic ingredients similar to those in Vaccine X, and/or are compared with other vaccines and their toxic ingredients, as opposed to a true pure inert saline solution. See <https://tinyurl.com/Insert-Placebo-Info>. See for example the HPV placebo group noted below, footnote 4.

<sup>4</sup> See HPV study (Merck), where a true placebo group was used, had zero Systemic Autoimmune Disorders reported, but Merck combined the results with another group that received aluminum and other toxic ingredients to hide such result. See Exhibit 3, at <https://tinyurl.com/Vaccine-Information-Package>.

**BASIC VACCINE FACTS:**

1. Manufacturers refuse to do vaccinated vs. unvaccinated child studies to compare results.
2. In pre-licensing studies, vaccines are only compared to other Vaccines or their toxic ingredients, not with true saline inert placebos.
3. Pre-licensing studies are monitored for short periods of time, like Gardasil = 14 days, Hepatitis B = 5 days, and Hib = 48 hours.
4. No vaccine is tested for carcinogenicity or for their effect on fertility.  
See <https://tinyurl.com/Insert-Placebo-Info>.
5. Vaccines contain aborted fetus tissue and DNA, from the heart, lungs, kidney, spleen, skin tongue and pituitary gland.
6. Vaccines contain toxic chemicals, such as: mercury, aluminum, glyphosate and GMO's.
7. Big Pharma & their distribution network have full immunity from all vaccine injury liability.
8. The Child Chronic Illness Prevalence in the U.S. has grown steadily with the increase of the recommended CDC childhood vaccine schedule.

**Analysis of Vaccine Safety Claims**  
**LAW OF PARSIMONY**  
**Flowchart #2**

**DEFINITION OF THE LAW OF PARSIMONY**

The Parsimony principle is basic to all science and tells us to choose the simplest scientific explanation that fits the evidence

**A CHILD SUFFERS A MINOR OR SERIOUS INJURY SHORTLY AFTER VACCINATION (Example: Autism, Encephalitis)<sup>1</sup>**

**RESOURCES:**

Dr. Stanley Plotkin's deposition in a child custody case. Dr. Plotkin is the highest authority in the world on vaccines, their production and consequences of use and is a paid consultant and representative of many and the four biggest vaccine manufacturers in the world: **Merck, GlaxoSmithKline, Senofi and Pfizer.**

See Excerpts of the Plotkin deposition and links to the video and transcript of the deposition at <https://tinyurl.com/Plotkin-Deposition-Excerpts>.

See also Chronic Illness Prevalence Chart and revised Gardasil Table 10 at <https://tinyurl.com/Vaccine-Information-Package>

<sup>1</sup> **INJURY**, as referenced herein, refers to any condition or reaction listed in the inserts of the vaccines in the CDC's Childhood Vaccine Schedule, and/or reported by parents as having happened after vaccination, including but not limited to the following:

Nervous tics, allergic reaction, nausea, swelling face, rash generalized, diarrhea, cellulitis, asthma, breath holding, Influenza, colitis, wheezing, choking, conjunctivitis, colic, colitis, congestive heart failure, severe migraine, unilateral facial paralysis, facial palsy, nerve compression in neck, convulsion, anaphylactic reactions, systemic lupus erythematosus, Guillain-Barre syndrome, multiple sclerosis, arthritis pain in extremity, tachycardia, encephalopathy, coma, collapse or shock-like state, fainting, decreased level of consciousness, prolonged seizures, progressive neurological disorders, infantile spasms, uncontrolled epilepsy, progressive encephalopathy, anaphylaxis, autism, Sudden Death Syndrome (SIDS), and death.

See study of vaccine package inserts compared to the CDC'S Fact Sheet on vaccines, noting all the conditions mentioned above, at <https://tinyurl.com/Vaccine-Insert>.

<sup>2</sup> A "True Placebo" is an inert substance, made up of water and salt. ***"Placebos are substances that are made to resemble drugs but do not contain an active drug."*** See "Merck Manual", at <https://tinyurl.com/Merck-Manual-Placebo>. "A drug is defined by U.S. law as any substance (other than a food or device) intended for use in the diagnosis, cure, relief, treatment, or **prevention of disease** or intended to affect the structure or function of the body." See <https://tinyurl.com/Merck-Manual-Drugs>.

Injury could have been related to child or family history of injury

YES

Does the child or parents' family have a history of such injury, absent of history of potential past vaccine injury?

NO

Consider physicians analysis of child's health as possibly related to the injury

NO

Did the physician declare the child in good health prior to vaccination?

YES

The injury may be related to the head injury or trauma

YES

Did the child have any sort of head injury or other trauma prior to or after vaccination, but prior to the onset of the symptoms of the injury?

NO

The injury may be related to the substance ingested and/or such exposure

YES

Did the child eat or swallow any food, inhale or was exposed to any substance, chemical, or otherwise, that is known to cause such injury?

NO

The injury may be related to such insect or animal bite, scratch or sting

YES

Was the child stung, scratched or bitten by any insect or animal of any kind known to cause such injury?

NO

The injury may be related to any one or a combination of the conditions noted

YES

Does the child have (1) any known genetic conditions, disorders or mutations, or (2) any metabolic imbalances, or (3) a history of viral infections that may have caused the injury, or (4) was the child born to older parents, or (5) have a low birth weight?

NO

The injury may be related to such other plausible or factual reasons

YES

Are there any other plausible or factual reasons why the child would suffer such an injury?

NO

Review the vaccine study's documentation to see if it lists this type of injury in either solicited or unsolicited reactions reports

NO

Is the serious injury listed as a possible injury after vaccination in the vaccine's package information insert?

YES

Has this type of injury been reported in (1) the vaccine's post-marketing studies, (2) the VAERS systems, (3) the VSD system, or (4) has it been reported by other parents as also having happened to their own child or children after vaccination?

NO

YES

**Note:**  
**Correlation Means Causation**  
**When Additional Data**  
**Corroborates It**  
--- Stephanie Seneff

**THE LAW OF PARSIMONY POINTS TO THE ACT OF VACCINATION AS BEING THE ONLY REASONABLE, PLAUSIBLE AND MOST PROBABLE REASON WHY THE CHILD SUFFERED THE INJURY**


## Analysis of Vaccine Safety Claims THE HPV PLACEBO GROUP Flowchart #3

**PLACEBO STUDIES:** Before a drug can be registered, the legal requirement is proof of efficacy in adequate and well-controlled trials.<sup>1</sup> Randomised, double-blind, placebo-controlled clinical trials are currently held to be the best way to demonstrate the clinical effectiveness of drugs.<sup>2</sup> Its methodology relies on the method of comparison of standardized group intervention through which the observed outcome difference between groups (drug/intervention versus placebo) can be attributed to the pharmacological effect of the drug/intervention being tested.<sup>3</sup>

There are two principal functions of a **True Placebo Study**: (1) To distinguish pharmacological effects from the **effects of suggestion**, and (2) to obtain an unbiased assessment of the results of the experiment and/or study,<sup>4</sup> known as the **"Placebo Effect"**. Some researchers suggest that the placebo effect associated with the simple act of ingesting a pill (or in the case of a vaccine study, injecting an inert saline solution) may possibly potentiate the actual physiological effect of the drug (positive interaction),<sup>5</sup> but such interaction would be in an increased sense or actual wellbeing<sup>6</sup> and not manifested in chronic illnesses as those listed in vaccine package inserts.

**PLACEBOS STUDIES FOR PROOF OF VACCINE SAFETY ARE ETHICAL:** While some in the medical field may argue that the use of true inert saline solution placebos in vaccine pre-licensing studies are at odds with the ethical requirement that established therapy may not be withheld from patients, such criteria does not apply to vaccine pre-licensing studies for the following reason: *Children and adults used in pre-licensing studies are not "patients", they are "volunteers" (personally or as a parent or custodian of a child participating in the study). No health, medical or other need existed for vaccination prior to the child or adult entering the study, nor was such subject potentially exposed in his area to such virus at the time of the study; therefore, no "necessary treatment" was being denied, nor was it required.*

**CONCLUSIONS:** (1) There is no ethical justification for not conducting true placebo studies, and (2) it is only when conducting true placebo studies that vaccine makers could be able to claim that their vaccines are safe and do not cause injury. Being that no true placebo tests have been done on any vaccine in the CDC Childhood Vaccination Scheduled, then ***Vaccines Have Not Been Proven to be Safe and they are Most Likely Responsible for our Nation's Childhood Chronic Illness Epidemic, including Autism.***<sup>7</sup>



<sup>1</sup> See "Placebos and placebo effects in medicine: historical overview", by Kaptchuk, de Craen, Tijssen, and Kleijnen, Journal of the Royal Society of Medicine, Volume 92, October, 1999, at <https://journals.sagepub.com/doi/pdf/10.1177/014107689909201005>.

<sup>2</sup> See "Are RCTs the gold standard?", by N. Cartwright; BioSocieties 2007; 2: 11–20. See "A drug is defined by U.S. law as any substance (other than a food or device) intended for use in the diagnosis, cure, relief, treatment, or prevention of disease or intended to affect the structure or function of the body," at <https://tinyurl.com/Merck-Manual-Drugs>. Vaccines fall in the category of drugs, as they are intended to prevent disease, therefore satisfactory true placebo studies should be mandatory prior to approval.

<sup>3</sup> See "Are treatments more effective than placebos? A systematic review and meta-analysis," by Howick, Friedemann, Tsakok, Watson, Tsakok, and Thomas; PLoS One, 2013.

<sup>4</sup> See "The powerful placebo", by HK Beecher; J Am Med Assoc., 1955.

<sup>5</sup> See "The placebo effect in neurological disorders", by Schulzer, de la Fuente-Fernández, and Stoessl. Lancet Neurol, 2002.

<sup>6</sup> See "Placebos and placebo effects in medicine: historical overview", supra.

<sup>7</sup> See Ricardo Beas' letter to all California Assembly Members opposing SB 276, Exhibits 1 through 4, at <https://tinyurl.com/Vaccine-Information-Package>.

<sup>8</sup> See "Gardasil HPV Vaccine – Revised Table 10", by Ricardo Beas, at <https://tinyurl.com/Gardasil-Revised-Table>.

# Analysis of Vaccine Safety Claims SUMMARY – VACCINE PLACEBO EXTRAPOLATION Flowchart #4

## FINDINGS OF FACT AND CONCLUSIONS OF LAW

### FLOWCHART #1

#### VACCINE PRE-LICENSING STUDIES

No childhood vaccine pre-licensing study went through true placebo comparisons. It was done deliberately by the vaccine manufactures to hide vaccine injury. Regardless of this obvious lack of proper safety testing, HHS and its agencies, such as the FDA, CDC, and NIH, lie when they say that the science is clear that vaccines are safe and have been properly tested and proven safe; and the vaccine industry and these agencies refuse to do studies comparing the health of vaccinated against unvaccinated children because their intended misinformation and deception would become evident -- **FRAUD IN THE FACTUM**<sup>1</sup>

### FLOWCHART #2

#### LAW OF PARSIMONY

When injury happens shortly after vaccination, unless there is specific evidence that another condition caused the injury, it can only be said and concluded that the vaccine caused the injury - until proven otherwise.

**Correlation Means Causation When Additional Data Corroborates It**

### FLOWCHART #3

#### THE HPV PLACEBO GROUP

The True Placebo group of approximately 600 subjects used in the HPV trials proved that true saline solution placebo injections do not cause any Systemic Autoimmune Disorders, as compared to such disorders that were identified in the HPV vaccine group, as well as in the group that had aluminum and other toxic ingredients in the vaccines, as noted in the HPV insert.<sup>2</sup>

### EXTRAPOLATION

Having no vaccine manufacturer data on true vaccine vs placebo comparison studies, and having proof that True Placebos don't cause injury, other than injection-site reactions, then if we extrapolate the HPV Placebo Group results with the results of the other childhood vaccines as noted in their package inserts, then it can be concluded that indeed, all injuries identified in the vaccine groups of each vaccine study, were caused by such vaccines, proving that vaccines are unsafe and cause frequent injury.

**The Health Agencies of the United States are purposefully hiding vaccine injuries to force vaccination upon the Nation -- FRAUD**<sup>1</sup>

### EXAMPLES OF INJURIES CAUSED BY OTHER VACCINES EXTRAPOLATING THE HPV PLACEBO STUDY RESULTS

**HEPATITIS B:** Systemic adverse reactions were reported following 10.4% of the injections. **PNEUMOCOCCAL:** Serious adverse events reported following vaccination in infants and toddlers occurred in 8.2%. **POLIO:** Anaphylaxis or anaphylactic shock can occur within 24 hours of administration. **MMR:** Panniculitis; atypical measles; fever; syncope; headache; dizziness; malaise; irritability; pancreatitis; diarrhea; vomiting; parotitis; nausea; diabetes mellitus; nerve deafness; anaphylaxis and anaphylactoid reactions; angioneurotic edema; peripheral or facial edema; bronchial spasm in individuals with or without an allergic history; arthritis; arthralgia; myalgia; aseptic meningitis; pneumonia; and pneumonitis. In women, incidence rates for arthritis and arthralgia are generally higher than those seen in children (children: 0-3%; women: 12-26%). Encephalitis; encephalopathy; measles inclusion body encephalitis; subacute sclerosing panencephalitis (SSPE); Guillain-Barré Syndrome (GBS); acute disseminated encephalomyelitis (ADEM); transverse myelitis; febrile convulsions; afebrile convulsions or seizures; ataxia; polyneuritis; polyneuropathy; ocular palsies; paresthesia; disseminated mumps and rubella vaccine virus infection have also been reported. **Death has been reported following vaccination.** See CDC vaccine factsheets diminishing the serious and frequency of vaccine injury compared to the vaccine inserts, at <https://tinyurl.com/Vaccine-Insert>. See article by the Huffington Post on the Vaccine Court and the mishandling of vaccine injury data, at <https://tinyurl.com/HuffPost-VaccineCourt>.

Rev. 8

© PRBWORKS

<sup>1</sup> See the definition of **Fraud**: (1) The making of a false statement, (2) **With knowledge that the statement is false or with reckless disregard as to whether the statement is false or true**, (3) With the intent that the listener relies on the statement, (4) With the result that the listener relies on the statement, and (5) **With the consequence that the listener is harmed**. See <https://contracts.uslegal.com/fraud>. **Fraud in the factum** is a type of fraud where a misrepresentation by parties, such as the major vaccines manufacturers, health agencies and Dorit Reiss, causes one to enter into a transaction, like vaccinating a child in order to attend school, or vaccinating in order to work or enroll in the military, without accurately realizing the risks incurred in the form of serious injury, including death.

<sup>2</sup> See Revised HPV Vaccine insert Table 10, at <https://tinyurl.com/Gardasil-Revised-Table>.

**SEE ALL THE PROOF AT: [TinyURL.com/Vaxx-Truth](https://tinyurl.com/Vaxx-Truth)**