Date: May 25, 2019

Pages: 6 Including cover

From: Ricardo Beas, <u>RicardoBeasV@hotmail.com</u>

To: All California Assembly Members Speaker Anthony Rendon, Majority leader Ian Calderon and Minority leader Marie Waldron

FAX COVER SHEET FOR IMMEDIATE DISTRIBUTION

Re: OPPOSITION TO SB 276 AND ALL BILLS PROMOTING VACCINES AN/OR MAKING VACCINES MANDATORY UPON THE POPULATION

NOTICE TO AGENT IS NOTICE TO PRINCIPAL --- NOTICE TO PRINCIPAL IS NOTICE TO AGENT

Dear Assembly Members,

I request that you oppose SB 276 and any legislation introduced and submitted to congress that purports to confirm that all vaccines are safe and that they cause no serious side effects, injury, autism and/or death (SIDS), or that intends to make vaccines mandatory on any man, woman or child, against their will, based on their personal, conscience, medical and/or religious rights.

THE SIMPLE PROOF THAT VACCINES ARE NOT SAFE AND ARE RESPONSIBLE FOR THE HIGH CHRONIC HEALTH ISSUES IN OUR COUNTRY

The idea that vaccines have been proven safe and that the science is clear, is exactly the opposite to obvious reality. The only way a company can prove that a medical substance is safe is by doing studies where half the group receives the medication and the other receives a sugar pill or a saline solution (an inert substance that causes absolutely no side effects), known as a placebo.

If the medicated group has five recorded side effects and the placebo group has zero, then it is said that the medication did cause the side effects. If the medicated group has five side effects and the placebo group also has the same five side effects then it is said that the medication did not cause such side effects, as both groups had similar results. It is as simple as that.

The assertion by the major vaccine manufacturers, the FDA and the CDC that vaccines are safe is based on their statements that vaccines have gone through this rigorous medicine/placebo comparison process. In the CDC website, in a section titled *"History of Vaccine Safety,"* it states as follows:

"<u>Before vaccines are licensed</u> by the FDA, they are **tested extensively** in the laboratory and with human subjects to ensure their safety ... Because the vaccinated group can be compared to those who have not received the vaccine, researchers are able to <u>identify TRUE reactions</u>."

See <u>http://tinyurl.com/CDC-History-of-Vaccines</u>.

Why is the science on vaccine safety not settled? Because BigVaxxPharma has never published any pre-licensing study comparing vaccine groups with true placebo groups, and the only time one placebo group was used and reported (in the HPV vaccine Gardasil), all of them had zero reported serious conditions and all vaccine groups had many. So what did manufacturer Merck & Co. do? They hid the result by combining the placebo group with a third group that received aluminum and other toxic vaccine ingredients.

Then, what are they comparing vaccines to when the industry claims it always does placebo testing? They compare vaccines against other vaccines (one or several), multiple doses of the same vaccine, the ingredients in the vaccines like aluminum, and in some cases there is no comparison at all, just a claim that the vaccine is safe, even though, among other things, vaccines have never been tested for carcinogenicity or their effect on fertility.

In the following 4 exhibits, which include three graphs and one short video I, as well as the world's greatest expert on vaccines, will prove to you that vaccines are toxic, dangerous, affect and injure not one in a million, but large percentages of children, above 2% (2 in 100), depending on the condition, and that the perpetrators above, including the expert, Dr. Stanley Plotkin, lie and attempt to hide all the dangers of vaccines. And some vaccine reactions are only tracked for 4 or 5 days, and in the case of the MMR vaccine, there were no pre-license studies presented!

STOP MANDATORY VACCINE LEGISLATION AND REQUEST A CRIMINAL INVESTIGATION

I urge ALL ASSEMBLY MEMBERS to do the following:

- (a) Comply with your Oath of Office to uphold the Constitution and to protect the Godgiven and Constitutional Rights of all constituents of the state of California, which rights include our right not to vaccinate ourselves or our children against our will and to our physical, mental and spiritual detriment; and
- (b) Oppose SB 276 and any legislation that mandates vaccination and/or attempts to hide the truth about vaccine injury proven by the evidence presented herein.

Respectfully Submitted,

Ricardo Beas Chula Vista, California

PROOF OF THE VACCINE FRAUD

- Exhibit 1: Chart showing a relationship between the increase in the number of CDC recommended vaccines and chronic illness Prevalence.
- **Exhibit 2**: Chart showing that all childhood vaccines had a very short study period and that no true saline placebo comparison was ever done on any of the vaccines, except for Gardasil. Also no testing for carcinogenicity and effects on fertility.
- **Exhibit 3**: Chart showing how Merck attempted to hide the true saline placebo group in their Gardasil insert by combining the true saline placebo (zero events reported) with an aluminum/AAHS control group. The first two columns are from the insert.¹
- **Exhibit 4**: A video of the highest authority on vaccines and major vaccine manufacturers' consultant, representative and promoter, Dr. Stanley Plotkin, confirming the fraud that has been perpetrated against humanity with the lies by vaccine manufacturers of proper testing and proof of safe vaccines for the masses. See Plotkin's deposition at <u>www.tinyurl.com/HPV-Placebo-Study</u>.



Hethel et. Al. 2011. A National and State Profile of Leading Health Problems and Health Care Quality for US Children: Key Insurance Disparities and Across-State Variations. Academic Pediatrics, at <u>https://tinyurl.com/Bethel-Study</u>. * Cleave et. al. 2010. Dynamics of Obesity and Chronic Health Conditions Among Children and Youth. JAMA, at <u>https://tinyurl.com/Cleave-Study</u>.

¹ See also CDC website, History of Vaccine Safety, "Before vaccines are licensed by the FDA, they are tested extensively in the laboratory and with human subjects to ensure their safety ... Because the vaccinated group can be compared to those who have not received the vaccine, researchers are able to identify true reactions." At tinyurl.com/CDC-History-of-Vaccines.

BREAKDOWN OF CHILDHOOD VACCINE INSERTS' PRE-LICENSING STUDIES

VACCINE/Breakdown Tables/ Groups Compared (see Insert section 6.1)	VACCINE MANUFACTURER & BRAND NAME	# In Study	Monitor Period	Saline Placebo Group	Cancer Study	Fertility Study
Hepatitis B / None In two sets of studies, there were only vaccinated children. In a third set they compared those that received three doses with a group that received two doses	Merck: <u>Recombivax HB</u>	147 1,252 Unk.	5 d	No	No	No
Diphtheria, tetanus, acellular pertussis (DTaP or Tdap) / Yes Three studies in US, 4,198: participants were enrolled to receive four consecutive doses of Pentacel. Fourth study in Canada, 1,782 participants previously vaccinated with three doses of Pentacel received a fourth dose. Compared vaccine with other vaccines	(a) Sanofi Pasteur: <u>Pentacel</u>	5,980 1,782	3 d	No	No	No
Diphtheria, tetanus, acellular pertussis (DTaP or Tdap) / Yes Compares Daptacel vaccine to DT and DTP	(b) Sanofi Pasteur: DAPTACEL	8,197	14 d 2 months	No	No	No
Diphtheria, tetanus, acellular pertussis (DTaP or Tdap) /Yes Compared Adacel to DECAVAC (Tetanus and Diphtheria Toxoids Adsorbed; manufactured by Sanofi Pasteur Inc., Swiftwater, PA)	(c) Sanofi Pasteur: <u>Adacel</u>	7,143	14 d 6 months	No	No	No
Haemophilus influenzae type b (Hib) / Yes Compares groups that received 1, 2 and 3 doses of DAPTACEL + IPOL + ActHIB Vaccines with a group that received DAPTACEL + ActHIB Vaccines	Sanofi Pasteur: <u>ActHIB</u>	110 1,454	48 hrs. 3 d 30 d	No	No	No
Pneumococcal conjugate or polysaccharide / Tables Compares Prevnar 13 with Prevnar	Pfizer: Prevnar 13	7,489	4 d 7 d	No	No	No
Inactivated poliovirus (IPV) / Yes Compares IPV only schedules and sequential IPV- OPV schedules; compares IPOL with IPOL + DTP	Sanofi Pasteur: IPOL	+700 + 3,000 (exact number not reported)	18 Months	No	No	No

BREAKDOWN OF CHILDHOOD VACCINE INSERTS' PRE-LICENSING STUDIES

	VACCINE/Breakdown Tables/ Groups Compared (see Insert section 6.1)	VACCINE MANUFACTURER & BRAND NAME	# In Study	Monitor Period	Saline Placebo Group	Cancer Study	Fertility Study
--	---	--------------------------------------	---------------	-------------------	----------------------------	-----------------	--------------------

Measles-mumps-rubella (MMR) / No	Merck: M-M-R II	Unk.	Unk.	No	No	No
No pre-license studies reported						
Varicella (chickenpox) / Yes Says no placebo-controlled group in current vaccine. Mentions placebo-controlled group, but the placebo contained 45 mg of neomycin, an antibiotic with serious side effects	Merck: <u>Varivax</u>	11,000 914	42 d	No	No	No
Meningococcal conjugate or polysaccharide / Yes Compares Menactra vaccine to Menactra + PCV7a + MMRVb + HepA, and PCV7a + MMRVb + HepA	Sanofi Pasteur: Menactra	3,721	7 d	No	No	No
Hepatitis A / Yes Compares VAQTA vaccine to VAQTA + ProQuad + Prevnar concomitantly - Only solicited reactions	Merck: <u>VAQTA</u>	+10,000 (exact number not reported)	14 d 5 d	No	No	No
Rotavirus / Yes Mentions Placebo group, but the Placebo contained Polysorbate 80 and many other substances In 42 day period 52 deaths reported	Merk: <u>RotaTeq</u>	71,725	42 d	No	No	No
Human Papillomavirus (HPV) / Yes Compares Gardasil group to AAHS and Saline Placebo groups, but reports AAHS and Saline Placebo groups as one unit The Saline Placebo group (594) had zero Systemic Autoimmune Disorders reported. See Plotkin Deposition transcript, pages 197 to 202, at <u>https://tinyurl.com/Plotkin-Deposition-Transcript;</u> see also Deposition video at <u>https://tinyurl.com/HPV-Placebo-Study</u>	Merck: <u>Gardasil</u>	18,083 Placebo Group = 594 (3.29% of total)	14 d	Yes	No	No

REVISED TABLE 10: Summary of Boys and Men 9 Through 26 Years of Age Who Reported an Incident Condition Potentially Indicative of a Systemic Autoimmune Disorder After Enrollment in Clinical Trials of GARDASIL, Regardless of Causality

HPV INSERT REVISED TABLE 10 (see Plotkin Deposition)	Columns in original Gardasil Insert					
Conditions	AAHS Control* & Saline Placebo (N = 2,303) n (%)	GARDASIL (N = 3,092) n (%)	Only AAHS Control* (N = 2,029) n (%)	Only Saline Placebo (N= 274) n (%)		
Alopecia Areata	0 (0.0)	1 (0.0)	0 (0.0)	0 (0.0)		
Ankylosing Spondylitis	2 (0.1)	1 (0.0)	2 (0.1)	0 (0.0)		
Arthralgia/Arthritis/Reactive Arthritis	17 (0.7)	30 (1.0)	17 (0.7)	0 (0.0)		
Autoimmune Thrombocytopenia	0 (0.0)	1 (0.0)	0 (0.0)	0 (0.0)		
Diabetes Mellitus Type 1	2 (0.1)	3 (0.1)	2 (0.1)	0 (0.0)		
Hyperthyroidism	1 (0.0)	0 (0.0)	1 (0.0)	0 (0.0)		
Hypothyroidism**	0 (0.0)	3 (0.1)	0 (0.0)	0 (0.0)		
Inflammatory Bowel Disease***	2 (0.1)	0 (0.0)	2 (0.1)	0 (0.0)		
Myocarditis	1 (0.0)	1 (0.0)	1 (0.0)	0 (0.0)		
Proteinuria	0 (0.0)	1 (0.0)	0 (0.0)	0 (0.0)		
Psoriasis	2 (0.1)	0 (0.0)	2 (0.1)	0 (0.0)		
Vitiligo	5 (0.2)	2 (0.1)	5 (0.2)	0 (0.0)		
All Conditions	32 (1.4)	43 (1.4)	32 (1.4)	0 (0.0)		

See Plotkin Deposition. Video at tinyurl.com/HPV-Placebo-Study; Transcript pages 197-202, at tinyurl.com/Plotkin-Deposition-Transcript.

Calculating AAHS Only Group: 2,303 - 274 = 2,029. Saline Placebo Group representation of total combined group: 274/2,029 = 013.50%.

The number 274 referenced as the Saline Placebo group comes from Table 2, Saline Placebo (N = 274).

Calculating AAHS Only Group percentage of reported conditions: n/2,029. Only one decimal point used, as in combined group.

*AAHS Control = Amorphous Aluminum Hydroxyphosphate Sulfate.

**Hypothyroidism includes the following terms: Hypothyroidism and Autoimmune thyroiditis.

*** Inflammatory bowel disease includes the following terms: Colitis ulcerative and Crohn's disease.

N = Number of individuals enrolled.

n = Number of individuals with specific new Medical Conditions, percentage in total group.

Gardasil Insert at https://tinyurl.com/Gardasil-Vaccine-Insert.

Rev 5

© PRBWorks